

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	978	713/153.ccls.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:03
S1	2	"20050102497"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 16:27
S2	18	@ad<"20021205" and (security near2 associat \$4) same (rerout\$4 re-rout \$4)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 08:06
S3	0	@ad<"20021205" and (security near2 associat \$4) same (rerout\$4 re-rout \$4) same (fail\$3 downtime)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 08:07
S4	0	@ad<"20021205" and (security near2 associat \$4) same (rerout\$4 re-rout \$4) same (backup fail\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 16:27
S5	14	@ad<"20021205" and (security near2 associat \$4) same (rerout\$4 re-rout \$4 rout\$3) same (backup fail\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:53
S6	9	"5022076"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:04
S7	2	"20030093691" and (node with server)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 14:04
S8	20	@ad<"20021205" and (security near2 associat \$4) same (sequence) same byte	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 10:01

S9	7	@ad<"20021205" and (security near2 associat \$4) same (sequence) same interval	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 17:36
S10	778	713/153.ccls.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/07 17:36
S11	67	@ad<"20021205" and (security near2 associat \$4) same (predetermin\$3 predefin\$3) with (time interval)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:53
S12	46	@ad<"20021205" and (security near2 associat \$4) same (predetermin\$3 predefin\$3) near2 (time interval)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:53
S13	3	@ad<"20021205" and (security near2 association) with (predetermin\$3 predefin \$3) near2 (time interval)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:55
S14	313	@ad<"20021205" and ((security near2 association) SA) with (predetermin\$3 predefin \$3) near2 (time interval)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:56
S15	7	@ad<"20021205" and (security adj association) and (SA) with (predetermin\$3 predefin \$3) near2 (time interval)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 11:56
S16	3	"20030093691"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 12:07
S17	901	713/153.ccls.	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/14 14:00
S18	3	"20030093691"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/08 10:58

S19	42	security with mirror with processor	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:00
S20	16	security with mirror with processor and @ad< "20021205"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:01
S21	438	mirror near2 processor and @ad< "20021205"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:02
S22	47	mirrored near2 processor and @ad< "20021205"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:03
S23	2	mirrored near2 processor same security and @ad< "20021205"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:03
S24	6421	@ad<"20021205" and packet same header with rout\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:25
S25	1935	@ad<"20021205" and packet same header near2 rout\$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:25
S26	56	@ad<"20021205" and packet same header near2 rout\$3 same secur \$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:26
S27	369	@ad<"20021205" and packet same header near2 rout\$3 and rout\$3 with (swap\$4 fail\$3)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:28
S28	93	@ad<"20021205" and packet same header near2 rout\$3 and rout\$3 with (swap\$4 fail\$3) with (second multiple plurality)	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:29

S29	74	@ad< "20021205" and packet same header near2 rout\$3 and rout\$3 same (SA (security near association))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:37
S30	22	@ad< "20021205" and packet same header near2 rout\$3 same (SA (security near association))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:37
S31	5	@ad< "20021205" and header with rout\$3 same (SA (security near association)) with update \$3	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 11:40

9/8/2008 2:09:26 PM

C:\Documents and Settings\jgee\My Documents\EAST\Workspaces\10619352.wsp